ROUTING							
то	: NAME A	ND ADDRESS		DATE	INITIALS		
1							
2							
3							
4							
	ACTION	DIRECT REPLY	Π	PREPA	RE REPLY		
	APPROVAL	DISPATCH			IMENDATION		
	COMMENT	FILE		RETURN			
	CONCURRENCE	INFORMATION	Γ	SIGNA	TURE		
REMARKS:							
FROM: NAME, ADDRESS, AND PHONE NO.					DATE		

	SECRET	<u>2</u> 38			
(3	(Security Classification)				
		25 X 1			
CONTROL NO.	Z-11315/82				
COPY	NPIC/PEG (9/82)				




Warning Notice
Intelligence Sources or Methods Involved

NATIONAL SECURITY INFORMATION

Unauthorized Disclosure Subject to Criminal Sanctions

SECRET
(Security Classification)



SECRET

25X1

(c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER

Attachment to Z-11315/82 Page __1_ of _1_ NPIC/PEG (09/82) Copy____ NEW MISSILE SYSTEM ON HOUKU PTG HULUDAO NAVAL BASE SHIPYARD AND PORT FACILITY, CHINA 25X1 1. (SWN) SIGNIFICANCE: PROBABLE ANTISHIP CRUISE MISSILE LAUNCHERS ARE CONFIRMED ON THE MODIFIED HOUKU MISSILE ATTACK BOAT (PTG). 2. (SWN) REMARKS: FOUR PROBABLE ANTISHIP CRUISE MISSILE LAUNCHERS ARE CONFIRMED ON THE MODIFIED HOUKU PTG, SINCE 25X1 THE LAUNCHERS ARE MOUNTED IN PAIRS AFT OF THE 25X1 POSSIBLE BLAST SUPERSTRUCTURE AND ARE 25X1 DEFLECTORS ARE AFT OF EACH LAUNCHER. IT IS NOT DETERMINED WHETHER THE NEW MISSILE SYSTEM IS INDIGENOUS OR A NEWLY ACQUIRED FOREIGN SYSTEM. POSSIBLE ACQUIRED SYSTEMS INCLUDE THE FRENCH EXOCET OR THE INTERNATIONAL THE EXOCET MISSILE LAUNCHER IS 25X1 THE SIZE OF THE OTOMAT MISSILE LAUNCHER IS 25X1 LAUNCHERS AND THE PRESENCE OF BLAST DEFLECTORS ON THE MODIFIED HOUKU PTG APPROXIMATE THOSE ASSOCIATED WITH THE EXOCET SYSTEM. THE ARRIVAL OF THE HOUKU PTG AT HULUDAO SUGGESTS TESTING OF THE NEW MISSILE SYSTEM IS UNDERWAY. PROBABLY AT JINXI SSM RESEARCH EXOCET OR OTOMAT 25X1 AND DEVELOPMENT COMPLEX (WOULD SIGNIFICANTLY ENHANCE THE PRC ANTISHIP CAPABILITY. COORDINATES 40-43-16N 120-59-26E 25X1 3. COMMENTS AND OUERIES REGARDING THIS BRIEFING BOARD MAY BE 25X1 DIRECTED TO

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue.

25X1

WARNING NOTICE Intelligence Sources and Methods Involved